# Furnace Safety

Recipes for Home Repair by Alvin Ubell & Sam Bittman

Permissions For Reprints Contact: 1-800-640-8285

## Troubleshooting Home Furnace Problems

Waking up on a February morning with icicles on your eyelashes is no fun. But every homeowner runs into this problem at least once. The following checklists for your furnace, whether gas, oil, or electric, will usually help to keep things humming. We suggest you make your check in August. We also advise that the system be cleaned, oiled, and its safety devices checked at least once yearly by a competent service company.


### Checklist for Oil Furnaces

- 1. Check oil burner emergency switch. It should be in the "on" position. This is also called a remote control switch.
- 2. Check for blown or loose fuses at main burner switch box or central fuse box. Replace fuses if necessary with fuses of identical amperage.
- 3. Check water level in gauge glass on your furnace and fill to more than half full at all times (for steam systems only).
- 4. Raise thermostat to 5 degrees above room temperature and wait 15 minutes. It is not unusual for clock-type thermostats to be out of cycle. You must check to see if the day and night settings have been confused. If so,
- 5. Check your oil tank gauge to see if you have fuel.
- 6. Press or turn recycling button at the burner control box. Do this only once or twice. If the furnace runs for a minute or two only, DO NOT PUSH THE RECYCLING BUTTON AGAIN! Shut off your emergency switch first and call a serviceman.

#### Checklist for Gas Furnaces

- 1. Check furnace switch (electrical), if you have one. It must be in the "on"
- 2. Check for blown or loose fuses at main burner switch box or central fuse box. Replace fuses if necessary with fuses of identical amperage.
- 3. Check water level in gauge glass on your furnace and fill to more than half full at all times (for steam systems only).
- 4. Raise thermostat to 5 degrees above room temperature and wait 15 minutes. It is not unusual for clock-type thermostats to be out of cycle. You must check to see if the day and night settings have been confused. If so,
- Check main gas valve, which must be in the "on" position.
- 6. In warm air systems, clean and/or replace filter(s).
- 7. If pilot light is not burning, relight as per instructions attached to the furnace.
- 8. If none of the above restores furnace to operational order, call utility company or competent serviceman.

www.AccurateBuilding.com Copyright © 2004-2005 Date Published: 1974, 1976



## Checklist for Electric Heating

- 1. Check with neighbors to see if there is a local blackout. If so, you'll just have to wait until power is restored.
- 2. Check main circuit-breaker panel box or fuse box for disconnected switches or burnt fuses. Reset and/or replace as necessary with fuses of identical amperage.
- 3. Raise thermostat to 5 degrees above room temperature. It is not unusual for clock-type thermostats to be out of cycle. Check to see if day and night settings have been confused. If so, correct.
- 4. If none of the above restores heating system to operational order, call utility company or competent electrician.

## Fire Safety Checklist

Hazard	Yes	No	Correction
Combustible or flammable ashtrays			Use only
in all rooms?			noncombustible
			ashtrays.
Careless disposal of glowing			Douse all matches and
matches and cigarettes?			cigarettes till dead.
Matches in combustible container?			Keep in metal
			container.
Matches within reach of children?			Keep in high place, out
			of children's reach.
Family members smoke in bed?			Strict rules against
			smoking in bed.
Do you run electric cords under			Run cord along
rugs and over nails and hooks?			baseboard and over
-			doorways.
Keep lamp and appliance cords in			Repair frayed lamp and
bad condition?			appliance cords.
Overload outlets in your home?			Don't overload.
Use 30 ampere fuses on lighting			Use 15 ampere fuses
circuits?			for lighting circuits.
Do you use flammable cleaning			Use only when
fluids?			necessary.
Do you store flammable liquids			Store in closed
improperly?			containers.
Attic or basement filled with			Keep free of trash and
rubbish, papers, oily rags?			combustible materials.
Gas range leaking gas?			Call gas company.
Gas range greasy?			Clean top of range.
Is cooking closely supervised?			Be present during
			cooking
Is chimney free of cracks?			Repair cracks.
Are chimney flue and furnace			Clean thoroughly
cleaned before heating season?			before heating season.
Fire escapes In bad condition?			Have landlord repair
			them.
Fire escapes cluttered?			Remove all items from
			fire escape.
Do you store paint, varnish, lacquer			Store in closed metal
and enamel improperly?			containers.

249